Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name Cleaner 04
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Cleaning agent / Cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PERKUTE - Maschinenbau GmbH

Düsterbergstr. 10 D-48432 Rheine Tel. ++ 49 / 59 71 / 80 81 68 - 0 Fax ++ 49 / 59 71 / 80 81 68 - 1 E-Mail: info@perkute.de

- Informing department: Product safety department
- 1.4 Emergency telephone number:

Poison Control Center, Mainz Tel. 00 49 / 61 31 / 19 240

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

STOT SE 3 H335 May cause respiratory irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS05 GHS07

- Signal word Danger
- Hazard-determining components of labelling:

disodium metasilicate 5 hydrate

- Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P406 Store in corrosive resistant container with a resistant inner liner.

(Contd. on page 2)

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 1)

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of the substances listed below with harmless additions

- Dangerous components:			
CAS: 497-19-8	sodium carbonate	25-50%	
EINECS: 207-838-8 Reg.nr.: 01-2119485498-19	Eye Irrit. 2, H319		
CAS: 10213-79-3 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium metasilicate 5 hydrate Met. Corr.1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	25-50%	
CAS: 10101-89-0	trisodium phosphate 12 hydrate	2.5-10%	
EINECS: 231-509-8 Reg.nr.: 01-2119489800-32	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		
Polymer	fatty alcohol alkoxylate	< 2.5%	
Reg.nr.: 02-2119552440-48	Eye Dam. 1, H318; Skin Irrit. 2, H315		

- Additional information For the wording of the listed hazard phrases refer to section 16.
- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

15 - 30 % phosphates,

< 5 % non-ionic surfactants,

further constituents: silicates and carbonates.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General advice:

Instantly remove any clothing soiled by the product.

In case of unconsciousness bring patient into stable side position for transport.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

- After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

(Contd. on page 3)

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

See section 8.

Wear self-contained breathing apparatus.

- Additional information

Endangered containers in the surrounding area should be cooled with a water-hose.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

- 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Damp down dust with water spray jet.

If large amounts are released, the authorities must be informed.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically and rinse the remainder with water. Avoid dust development. Place in suitable container and send to be recycled or disposed of (taking item 13 into account).

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Thorough dedusting.

Prevent formation of dust.

Avoid contact with eyes and skin.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage Store in cool, dry conditions in well sealed containers.
- Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water harzardous substances

- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Protect from humidity and keep away from water.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems:

In case of dust development, suction is needed.

- 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 3)

		(Comman or page of
- DNELs		
10213-79-3 disodium metasilicate 5 hydrate		
Oral	DNEL (population)	0.74 mg/kg bw/day (Long-term - systemic effects)
Dermal	DNEL (population)	0.74 mg/kg bw/day (Long-term - systemic effects)
	DNEL (worker)	1.49 mg/kg bw/day (Long-term - systemic effects)
Inhalative	DNEL (population)	1.55 mg/m³ (Long-term - systemic effects)
	DNEL (worker)	6.22 mg/m³ (Long-term - systemic effects)
- PNECs		
10213-79-3 disodium metasilicate 5 hydrate		
PNEC aqua 7.5 mg/l (fresh water)		
1 mg/l (marine water)		

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale dust. Prevent formation of dust.

- Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Breathing protection to be used where a build-up of dust occurs.

- Recommended filter device for short term use: Filter P2
- Protection of hands: Protective gloves.
- Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eve protection: Tightly sealed safety glasses.
- Body protection:

Standard protective working clothes, chemical resistant safety-shoes or wellingtons. If skin contact is possible, wear impenetrable protective clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Solid.
Colour: White
- Smell: Odourless

- pH-value (10 g/l) at 20 °C: 11 - 12

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 4)

- Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined	
- Flash point:	Product is non-flammable nor potentially explosive	
- Self-inflammability:	Product is not selfigniting.	
- Danger of explosion:	Product is not potentially explosive	
- Density	Not determined	
- Settled apparent density at 20 °C ~ 850 kg/m³		
- Solubility in / Miscibility with Water: - 9.2 Other information	Soluble No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Loss of constitutional water on heating

- 10.3 Possibility of hazardous reactions Exothermic reactions with acids.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Strong acids
- 10.6 Hazardous decomposition products: Reacts with acids forming carbon dioxide.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values that are relevant for classification:		
10213-79-3 disodium metasilicate 5 hydrate			
Oral	LD50	1152-1349 mg/kg (rat)	
10101-89-	10101-89-0 trisodium phosphate 12 hydrate		
Oral	LD50	> 2000 mg/kg (rat)	
Dermal	LD50	> 2000 mg/kg (rat) (OECD 402)	
fatty alco	fatty alcohol alkoxylate		
Oral	LD50	3200 mg/kg (rat) (BASF-Test)	
497-19-8	497-19-8 sodium carbonate		
Oral	LD50	2800 mg/kg (rat)	
Dermal	LD50	> 2000 mg/kg (rat) (16 CFR 1500.40)	
		> 2000 mg/kg (rabbit)	
Inhalative	LC 50 / 2 h	2.3 mg/l (rat)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 5)

- Serious eye damage/irritation

Causes severe skin burns and eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information: corrosive
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

12.1 Toxioity		
- Aquatic toxicity:		
10213-79-3 disodium metasilicate 5 hydrate		
EC 50 / 48 h	4857 mg/l (Daphnia magna)	
LC 50 / 96 h	3185 mg/l (Brachydanio rerio)	
10101-89-0 trisodium phosphate 12 hydrate		
EC 50 / 48 h	> 100 mg/l (Daphnia magna)	
EC 50 / 72 h	> 100 mg/l (Desmodesmus subspicatus)	
LC 50 / 96 h	> 100 mg/l (Oncorhynchus mykiss)	
fatty alcohol alkoxylate		
LC 50 / 96 h	1-10 mg/l (Leuciscus idus)	

- 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful effect on fish, plankton and other waterorganism by pH shift possible.
- Additional ecological information:
- General notes:

Do not allow to enter drainage system, surface or ground water Water hazard class 1 (Self-assessment): slightly hazardous for water.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GB -

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 6)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- Uncleaned packagings: Disposal must be made according to official regulations.
- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

SECTION 14: Transport informati	ion
- 14.1 UN-Number - ADR, IMDG, IATA	UN3262
- 14.2 UN proper shipping name - ADR - IMDG, IATA	3262 CORROSIVE SOLID, BASIC, INORGANIO N.O.S. (DISODIUM TRIOXOSILICATE) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S (DISODIUM TRIOXOSILICATE)
- 14.3 Transport hazard class(es)	
- ADR - Class - Label	8 (C6) Corrosive substances. 8
- IMDG, IATA - Class - Label	8 Corrosive substances. 8
- 14.4 Packing group - ADR, IMDG, IATA	III
- 14.5 Environmental hazards: - Marine pollutant:	No
14.6 Special precautions for userKemler Number:EMS Number:Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Alkalis
- 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.

Printing date 03.01.2017 Version number 106 Revision: 03.01.2017

Trade name Cleaner 04

(Contd. of page 7)

- Transport/Additional information:	
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Transport category - Tunnel restriction code	3 E
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- UN "Model Regulation":	UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





- Signal word Danger
- Hazard-determining components of labelling:

disodium metasilicate 5 hydrate

- Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. P309+P311 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store in corrosive resistant container with a resistant inner liner. P406

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Revision: 03.01.2017 Printing date 03.01.2017 Version number 106

Trade name Cleaner 04

(Contd. of page 8)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Application: Directions for use: please refer to the Technical Information Sheet
- Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- Department issuing data specification sheet: see item 1: Informing department
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV. Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3