Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name Cleaner 03
- UFI: 4V30-X0VF-K00V-K1N6
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Cleaning agent / Cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PERKUTE - Maschinenbau GmbH Düsterbergstr. 10 D-48432 Rheine

Tel. ++ 49 / 59 71 / 80 81 68 - 0 Fax ++ 49 / 59 71 / 80 81 68 - 1 E-Mail: info@perkute.de

- Informing department: Product safety department
- 1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet. Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of the substances listed below with harmless additions (aqueous solution).

	- Dangerous components:		
	CAS: 10043-35-3	boric acid	<i>≥</i> 2.5-<5.5%
	EINECS: 233-139-2	Repr. 1B, H360FD	
	Reg.nr.: 01-2119486683-25	Specific concentration limit: Repr. 1B; H360: C ≥ 5.5 %	
	CAS: 20405-61-2 EINECS: 243-795-1	D-gluconic acid, compound with 2-aminoethanol (1:1) Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2.5-<10%
Ī	CAS: 34590-94-8	Dipropylene glycol monomethyl ether	≤2.5%
	EINECS: 252-104-2	substance with a Community workplace exposure limit	
	Reg.nr.: 01-2119450011-60		
		(0)	Contd. on page 2)

Contd. on page 2

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 1)

- SVHC

10043-35-3 boric acid

- Additional information For the wording of the listed hazard phrases refer to section 16.
- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

< 5 % polycarboxylates,

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General advice: Change contaminated clothing.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Wash skin with water using soap if available. If persistant irritation occurs, obtain medical attention.

- After eye contact

Rinse opened eye for 15 minutes under running water.

In case of persistent symptoms consult doctor.

- After swallowing

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

- 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

If large amounts are released, the authorities must be informed.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Contaminated material has to be disposed as waste (see item 13).

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 2)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes or skin.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires:

Pay attention to general rules of internal fire prevention.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage Store in cool, dry conditions in well sealed containers.
- Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water harzardous substances Store in original containers or in PE-containers.

- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class 12 (VCI Konzept, 2007)
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical systems: No further data; see item 7.

- Components with critical values that require monitoring at the workplace:	
34590-94-8 Dipropylene glycol monomethyl ether	
IOELV (EU) Long-term value: 308 mg/m³, 50 ppm Skin	

- DNELs			
10043-35-3 boric acid			
Oral	DNEL (population)	0.98 mg/kg bw/day (Long-term, systemic effects)	
Dermal	DNEL (worker)	392 mg/kg bw/day (Long-term, systemic effects)	
	DNEL (population)	196 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL (worker)	8.3 mg/m³ (Long-term, systemic effects)	
	DNEL (population)	4.15 mg/m³ (Long-term, systemic effects)	
102-71-6	102-71-6 Triethanolamine		
Oral	DNEL (population)	13 mg/kg bw/day (Long-term, systemic effects)	
Dermal	DNEL (worker)	6.3 mg/kg bw/day (Long-term, systemic effects)	
	DNEL (population)	3.1 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL (worker)	5 mg/m³ (Long-term - systemic + local effects)	
	DNEL (population)	1.25 mg/m³ (Long-term - systemic + local effects)	
34590-94-8 Dipropylene glycol monomethyl ether			
Oral	DNEL (population)	36 mg/kg bw/day (Long-term, systemic effects)	
Dermal	DNEL (worker)	283 mg/kg bw/day (Long-term, systemic effects)	
	DNEL (population)	121 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL (worker)	308 mg/m³ (Long-term, systemic effects)	

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 3)

DNEL (population) 37.2 mg/m³ (Long-term, systemic effects)		
- PNECs		
10043-35-3 boric acid		
PNEC water	1.35 mg/l (freshwater)	
	1.35 mg/l (Seawater)	
PNEC	10 mg/l (sewage plant)	
PNEC sediment	1.8 mg/kg (freshwater)	
	1.8 mg/kg (Seawater)	
PNEC soil	5.4 mg/kg (soil)	
102-71-6 Trietha	anolamine	
PNEC water	0.32 mg/l (freshwater)	
	0.032 mg/l (Seawater)	
PNEC	10 mg/l (sewage plant)	
PNEC	0.151 mg/kg dw (soil)	
PNEC sediment	1.7 mg/kg dw (freshwater)	
	0.17 mg/kg dw (Seawater)	
34590-94-8 Dipi	opylene glycol monomethyl ether	
PNEC water	19 mg/l (freshwater)	
	1.9 mg/l (marine water)	
PNEC water	190 mg/l (intermittent releases)	
PNEC	4,168 mg/l (sewage plant)	
PNEC sediment	70.2 mg/kg (freshwater)	
	7.02 mg/kg (marine water)	
PNEC soil	2.74 mg/kg (soil)	

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from food, beverages and fodder.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

- Breathing equipment: In case of dizzling-dust breathing protection is required
- Recommended filter device for short term use: Combination filter AB-P2
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

Change gloves if notice sign of disenchantment.

(Contd. on page 5)

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses recommended during refilling.
- Body protection: Standard protective working clothes

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties	
- General Information	
- Appearance:	
Form:	Fluid
Colour:	Light yellow
- Smell:	Characteristic
- Odour threshold:	Not determined.
- pH-value at 20 °C:	~ 9.4
 Melting point/freezing point: 	Not determined
- Initial boiling point and boiling range	: ~ 100 ℃
- Flash point:	Product is non-flammable nor potentially explosive
- Inflammability (solid, gaseous)	Not applicable.
- Decomposition temperature:	Not determined.
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not potentially explosive
- Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C	~ 1.07 g/cm³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	Fully verice it to
Water:	Fully miscible
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
dynamic:	Not determined.

Not determined.

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

kinematic:

- 9.2 Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 5)

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:		
10043-35-3 boric acid		
LD50	>2,060 mg/kg (rat)	
LD50	>2,000 mg/kg (rabbit) (OECD 402)	
Triethanolaı	mine	
LD50	>5,000 mg/kg (rat)	
LD50	>2,000 mg/kg (rabbit)	
8 Dipropyle	ne glycol monomethyl ether	
LD50	5,135 mg/kg (rat)	
LD50	9,500 mg/kg (rat)	
LC 50 / 4 h	55-60 mg/l (rat)	
	3 boric acid LD50 LD50 Triethanolar LD50 LD50 8 Dipropyle LD50 LD50	

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:		
10043-35-3 boric acid		
LC 50 / 96 h 456 mg/l (Pimephales promelas)		
LC 50 / 72 h 1,020 mg/l (Carassius auratus)		
EC 50 / 48 h 133-760 mg/l (Daphnia magna)		
EC 50 / 72 h 229 mg/l (Pseudokirchneriella subcapitata)		
102-71-6 Triethanolamine		
LC 50 / 96 h 11,800 mg/l (Pimephales promelas)		
EC 50 / 24 h 2,038 mg/l (Daphnia magna)		
EC 50 / 72 h 512 mg/l (Scenedesmus subspicatus)	on page 7)	

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

Contd. of page 6

	(Contd. of page 6)	
34590-94-8 Dipropylene glycol monomethyl ether		
LC 50 / 96 h >10,000 mg/l (Pimephales promelas)		
LC 50 / 48 h 1,919 mg/l (Daphnia magna)		
EC 50 / 96 h 969 mg/l (Selenastrum capricornutum)		
EC 50 / 72 h >969 mg/l (Pseudokirchneriella subcapitata)		
- 12.2 Persistence and degradability		
102-71-6 Triethanolamine		
DOC - Elimination 96 % (OECD 301 E)		
Biodegradability 91 % (bacteria) (28 d, modif. Sturm-Test)		
34590-94-8 Dipropylene glycol monomethyl ether		
DOC - Elimination >70 % (OECD 301 E)		

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:

- Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):

102-71-6 Triethanolamine

EC 50 >1,000 mg/l (activated sludge (method OECD 209))

34590-94-8 Dipropylene glycol monomethyl ether

EC 20 >1,000 mg/l (activated sludge (method OECD 209))

- Additional ecological information:

Biodegradability 75 % (OECD 301 F)

- General notes:

Do not allow to enter drainage system, surface or ground water

Water hazard class 1 (Self-assessment): slightly hazardous for water.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated under adherence to official regulations.

- Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- **Uncleaned packagings:** Disposal must be made according to official regulations.
- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

(Contd. on page 8)

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 7)

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

SECTION 14: Transport information	
- 14.1 UN-Number - ADR/RID, IMDG, IATA	Void
- 14.2 UN proper shipping name - ADR/RID, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
- ADR/RID, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR/RID, IMDG, IATA	Void
- 14.5 Environmental hazards: - Marine pollutant:	Not applicable. No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	of Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- VOC: None.

(Contd. on page 9)

Printing date 13.01.2022 Version number 116 Revision: 13.01.2022

Trade name Cleaner 03

(Contd. of page 8)

- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

10043-35-3 boric acid

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Application: Directions for use: please refer to the Technical Information Sheet
- UFI market placements:
- Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

- Department issuing data specification sheet: see item 1: Informing department
- Abbreviations and acronyms:

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

- * Data compared to the previous version altered.

EUE -