

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### - 1.1 Product identifier

- Trade name **Cleaner 04**

- UFI: P910-S05J-E000-RT58

### - 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- **Application of the substance / the mixture** Cleaning agent / Cleaner

### - 1.3 Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:**

PERKUTE - Maschinenbau GmbH

Düsterbergstr. 10

D-48432 Rheine

Tel. ++ 49 / 59 71 / 80 81 68 - 0

Fax ++ 49 / 59 71 / 80 81 68 - 1

E-Mail: info@perkute.de

- **Informing department:** Product safety department

### - 1.4 Emergency telephone number:

National Poisons Information Service (NPIS) - Emergency call (healthcare professionals): (+44) 844 892

0111 - 0344 892 0111

## SECTION 2: Hazards identification

### - 2.1 Classification of the substance or mixture

- **Classification according to Regulation (EC) No 1272/2008**

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

### - 2.2 Label elements

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

disodium silicate pentahydrate

fatty alcohol alkoxyolate

- **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

- **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name **Cleaner 04**

(Contd. of page 1)

P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P309+P311 *IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.*

P406 *Store in a corrosion resistant container / container with a resistant inner liner.*

#### - 2.3 Other hazards

#### - Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

#### - 3.2 Mixtures

- **Description:** Mixture of the substances listed below with harmless additions

#### - Dangerous components:

CAS: 497-19-8 EINECS: 207-838-8 Reg.nr.: 01-2119485498-19	sodium carbonate ----- Eye Irrit. 2, H319	25-50%
CAS: 10213-79-3 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium silicate pentahydrate ----- Met. Corr. 1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	25-50%
CAS: 10101-89-0 EINECS: 231-509-8 Reg.nr.: 01-2119489800-32	trisodium phosphate 12 hydrate ----- Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.5-10%
Polymer Reg.nr.: 02-2119552440-48	fatty alcohol alkoxyate ----- Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

#### - Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

15 - 30 % phosphates,

< 5 % non-ionic surfactants,

further constituents: silicates and carbonates.

## SECTION 4: First aid measures

#### - 4.1 Description of first aid measures

- **General advice:** Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

#### - After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

#### - After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- **After swallowing** Drink copious amounts of water and provide fresh air. Instantly call for doctor.

#### - 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### - 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Endangered containers in the surrounding area should be cooled with a water-hose.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment and keep unprotected persons away.
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
Damp down dust with water spray jet.  
If large amounts are released, the authorities must be informed.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up mechanically and rinse the remainder with water. Avoid dust development. Place in suitable container and send to be recycled or disposed of (taking item 13 into account).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Prevent formation of dust.  
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:**  
Pay attention to general rules of internal fire prevention.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage** Store in cool, dry conditions in well sealed containers.
- **Requirements to be met by storerooms and containers:**  
Observe official regulations on storage and handling of water hazardous substances  
Store in original container if possible.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:** Protect from humidity and keep away from water.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical systems:**  
In case of dust development, suction is needed.

(Contd. on page 4)

— GB —

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 3)

**- Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**- DNELs****497-19-8 sodium carbonate**

Inhalative	DNEL (worker)	10 mg/m <sup>3</sup> (Long-term - local effects)
	DNEL (population)	10 mg/m <sup>3</sup> (Acute, local effects)

**10213-79-3 disodium silicate pentahydrate**

Oral	DNEL (population)	0.74 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	1.49 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	0.74 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	6.22 mg/m <sup>3</sup> (Long-term, systemic effects)
	DNEL (population)	1.55 mg/m <sup>3</sup> (Long-term, systemic effects)

**- PNECs****10213-79-3 disodium silicate pentahydrate**

PNEC water	7.5 mg/l (freshwater)
	1 mg/l (Seawater)
	7.5 mg/l (intermittent releases)
PNEC STP	1,000 mg/l (sewage plant)

**- Additional information:** The lists that were valid during the compilation were used as basis.

**- 8.2 Exposure controls****- Personal protective equipment****- General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale dust. Prevent formation of dust.

**- Breathing equipment:** Breathing protection to be used where a build-up of dust occurs.

**- Recommended filter device for short term use:** Filter P2

**- Protection of hands:** Protective gloves.

**- Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:** Tightly sealed safety glasses.

**- Body protection:**

Standard protective working clothes, chemical resistant safety-shoes or wellingtons. If skin contact is possible, wear impenetrable protective clothing.

— GB —

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### - 9.1 Information on basic physical and chemical properties

##### - General Information

##### - Appearance:

Form:	Solid.
Colour:	White
Smell:	Odourless

- pH-value (10 g/l) at 20 °C:	11 - 12
- Melting point/freezing point:	Not determined
- Initial boiling point and boiling range:	Not determined

- Flash point: Product is non-flammable nor potentially explosive

- Self-inflammability: Product is not selfigniting.

- Explosive properties: Product is not potentially explosive

- Density: Not determined

- Settled apparent density at 20 °C ~ 850 kg/m<sup>3</sup>

- Solubility in / Miscibility with Water: Soluble

- 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

- 10.1 Reactivity: No further relevant information available.

#### - 10.2 Chemical stability

##### - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Loss of constitutional water on heating

- 10.3 Possibility of hazardous reactions: Exothermic reactions with acids.

- 10.4 Conditions to avoid: No further relevant information available.

- 10.5 Incompatible materials: Strong acids

- 10.6 Hazardous decomposition products: Reacts with acids forming carbon dioxide.

### SECTION 11: Toxicological information

#### - 11.1 Information on toxicological effects

- Acute toxicity: Based on available data, the classification criteria are not met.

##### - LD/LC50 values that are relevant for classification:

#### 497-19-8 sodium carbonate

Oral	LD50	2,800 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (16 CFR 1500.40)
		>2,000 mg/kg (rabbit)
Inhalative	LC 50 / 2 h	2.3 mg/l (rat)

#### 10213-79-3 disodium silicate pentahydrate

Dermal	LD50	>5,000 mg/kg (rat)
--------	------	--------------------

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 5)

<b>10101-89-0 trisodium phosphate 12 hydrate</b>		
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
<b>fatty alcohol alkoxyate</b>		
Oral	LD50	3,200 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### - 12.1 Toxicity

#### - Aquatic toxicity:

<b>497-19-8 sodium carbonate</b>	
LC 50 / 96 h	300 mg/l (Lepomis macrochirus)
EC 50 / 48 h	200-227 mg/l (Ceriodaphnia dubia)
<b>10213-79-3 disodium silicate pentahydrate</b>	
LC 50 / 96 h	210 mg/l (Brachydanio rerio)
EC 50 / 48 h	1,700 mg/l (Daphnia magna) (analog)
EC 50 / 72 h	>345 mg/l (Desmodesmus subspicatus) (DIN 38412 T9)
<b>10101-89-0 trisodium phosphate 12 hydrate</b>	
LC 50 / 96 h	>100 mg/l (Oncorhynchus mykiss)
EC 50 / 48 h	>100 mg/l (Daphnia magna)
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)
<b>fatty alcohol alkoxyate</b>	
LC 50 / 96 h	1-10 mg/l (Leuciscus idus)
EC 50	>10-<100 mg/l (Algae) (read-across)
	>1-<10 mg/l (Daphnia) (read-across)
NOEC	0.1-1 mg/l (Daphnia magna)
	0.1-1 mg/l (Algae)

### - 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 7)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 6)

**fatty alcohol alkoxyolate**

BiAS - Elimination &gt;90 % (OECD 301 E) (Wismuth-aktive Substanz (mod. OECD 301E))

CO<sub>2</sub> - Entwicklung >60 % (OECD 301 B) (28 d, OECD 301 B, ISO 9439)- **12.3 Bioaccumulative potential** No further relevant information available.- **12.4 Mobility in soil** No further relevant information available.- **Ecotoxicological effects:**- **Remark:** Harmful effect on fish, plankton and other waterorganism by pH shift possible.- **Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****10213-79-3 disodium silicate pentahydrate**

EC 50 &gt;100 mg/l (OECD 209 / ISO 8192) (&gt; 3h)

**fatty alcohol alkoxyolate**

EC 10 &gt;1,000 mg/l (activated sludge (DEV - L2))

- **Additional ecological information:**- **General notes:**

Do not allow to enter drainage system, surface or ground water

Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **12.5 Results of PBT and vPvB assessment**- **PBT:** Not applicable.- **vPvB:** Not applicable.- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Waste disposal key number:**

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- **Uncleaned packagings:** Disposal must be made according to official regulations.- **Recommendation:**

**Rented packaging:** After optimal emptying, close immediately and return to the supplier without cleaning.

Care should be taken that no other materials get into the packaging.

**Other containers:** After complete emptying and cleaning, send to be reconditioned or recycled.

## SECTION 14: Transport information

- **14.1 UN-Number**- **ADR, IMDG, IATA**

UN3253

- **14.2 UN proper shipping name**- **ADR**

3253 DISODIUM TRIOXOSILICATE MIXTURE

- **IMDG, IATA**

DISODIUM TRIOXOSILICATE MIXTURE

(Contd. on page 8)

— GB —

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name Cleaner 04

(Contd. of page 7)

<b>- 14.3 Transport hazard class(es)</b>	
- ADR	
- Class	8 (C6) Corrosive substances.
- Label	8
<hr style="border-top: 1px dashed #000;"/>	
- IMDG, IATA	
- Class	8 Corrosive substances.
- Label	8
<b>- 14.4 Packing group</b>	
- ADR, IMDG, IATA	III
<b>- 14.5 Environmental hazards:</b>	
- Marine pollutant:	No
<b>- 14.6 Special precautions for user</b>	
- Kemler Number:	Warning: Corrosive substances. 80
- EMS Number:	F-A,S-B
- Segregation groups	Alkalis
- Stowage Category	A
- Segregation Code	SG35 Stow "separated from" SGG1-acids
<b>- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	
	Not applicable.
<b>- Transport/Additional information:</b>	
<hr style="border-top: 1px dashed #000;"/>	
- ADR	
- Limited quantities (LQ)	5 kg
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Transport category	3
- Tunnel restriction code	E
<hr style="border-top: 1px dashed #000;"/>	
- IMDG	
- Limited quantities (LQ)	5 kg
- Excepted quantities (EQ)	Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 g
- UN "Model Regulation":	UN 3253 DISODIUM TRIOXOSILICATE MIXTURE, 8, III

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008  
The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS05 GHS07

(Contd. on page 9)

GB



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

Trade name **Cleaner 04**

(Contd. of page 8)

- **Signal word** Danger- **Hazard-determining components of labelling:**

disodium silicate pentahydrate

fatty alcohol alkoxyolate

- **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

- **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- **Directive 2012/18/EU**- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **National regulations**- **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Application:** Directions for use: please refer to the Technical Information Sheet- **UFI market placements:** Germany (DE)- **Relevant phrases**

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

- **Department issuing data specification sheet:** see item 1: Informing department- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

(Contd. on page 10)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.01.2021

Version number 116

Revision: 07.01.2021

---

**Trade name Cleaner 04**

---

(Contd. of page 9)

*RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonized System of Classification and Labelling of Chemicals**CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**ISO: International Organisation for Standardisation**DNEL: Derived No-Effect Level (REACH)**PNEC: Predicted No-Effect Concentration (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**vPvB: very Persistent and very Bioaccumulative**Met. Corr. 1: Corrosive to metals – Category 1**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3***- \* Data compared to the previous version altered.**