Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name Cleaner 05
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PERKUTE - Maschinenbau GmbH

Düsterbergstr. 10 D-48432 Rheine Tel. ++ 49 / 59 71 / 80 81 68 - 0 Fax ++ 49 / 59 71 / 80 81 68 - 1 E-Mail: info@perkute.de

- Informing department: Product safety department
- 1.4 Emergency telephone number:

National Poisons Information Service (NPIS) - Emergency call (healthcare professionals): (+44) 844 892 0111 - 0344 892 0111

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger
- Hazard-determining components of labelling:

sodium hydroxide

tetrasodium pyrophosphate

- Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 1)

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of the following components

- Dangerous components:		
CAS: 1310-73-2	sodium hydroxide	50-100%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
Reg.nr.: 01-2119457892-27	·	
CAS: 7722-88-5	tetrasodium pyrophosphate	2.5-10%
EINECS: 231-767-1	Eye Dam. 1, H318; Acute Tox. 4, H302	
Reg.nr.: 01-2119489794-17	•	

- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

< 5 % phosphates,

further constituents: alkalis, salts of organic acids, auxiliary agents.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General advice: Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

- After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed

Burning effect and pain to eyes, skin and mucous membranes. After swallowing serious irritation to oral cavity and throat as well as danger of perforation of the gullet.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

Product is non-flammable. Use fire fighting measure that suit the surroundings.

- For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

See section 8.

Wear self-contained breathing apparatus.

GB

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep off unprotected persons

Ensure adequate ventilation

Avoid causing dust.

- 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Damp down dust with water spray jet.

If large amounts are released, the authorities must be informed.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically and rinse the remainder with water. Avoid dust development. Place in suitable container and send to be recycled or disposed of (taking item 13 into account).

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Prevent formation of dust.

When diluting, always stir the product into standing water.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water harzardous substances

Do not use light alloy containers.

Product contains metal corrosive ingredients.

- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Components with critical values that require monitoring at the workplace:				
1310-73-2 sodium hydroxide (50-100%)				
WEL Short-term value: 2 mg/m³				
7722-88-5 tetrasodium pyrophosphate (2.5-10%)				
WEL Long-term value: 5 mg/m³				
- DNELs				
1310-73-2 sodium hydroxide				
Oral DNFI (worker) 2.3 mg/kg bw/day (Long-term, systemic effects)				

(Contd. on page 4)

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

		(Contd. of page 3)	
Dermal	DNEL (worker)	<2 % wt. (Acute, local effects)	
Inhalative	DNEL (worker)	2.1 mg/m³ (Long-term, systemic effects)	
		1 mg/m³ (Long-term - local effects) (most sensitive endpoint: Irritation)	
	DNEL (population)	2.5 mg/m³ (Acute, local effects)	
		5.7 mg/m³ (Long-term, systemic effects)	

- PNECs

1310-73-2 sodium hydroxide

PNEC water 6.4 mg/l (freshwater)

3.1 mg/l (intermittent releases)

PNEC water
PNEC sediment
PNEC soil

2.3 mg/kg dw (Seawater)
23 mg/kg dw (freshwater)
0.853 mg/kg dw (soil)
PNEC STP

51 mg/l (-)

- Additional information: The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale dust. Prevent formation of dust.

- Breathing equipment: Breathing protection to be used where a build-up of dust occurs.
- Recommended filter device for short term use:

Filter P2

Take care of limitations and rules for the use of breathing protection equipment (DGUV Regel 112-190).

- Protection of hands: Protective gloves.
- Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

Note information regarding permeation rate, penetration times and the degradation supplied by the manufacturer of gloves just as workplace-specific conditions.

Change gloves if notice sign of disenchantment.

- Eye protection: Tightly sealed safety glasses.
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Powder
Colour: White

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 4)

	· · ·
- Smell:	Odourless
- pH-value (10 g/l) at 20 °C:	~ 13
- Initial boiling point and boiling ran	ge: Not determined
- Flash point:	Product is non-flammable nor potentially explosive
- Ignition temperature:	400 °C
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not potentially explosive
- Density at 20 °C	~ 1 g/cm³
- Solubility in / Miscibility with	
Water:	Fully miscible
- Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions

Corrosive action on metals

Violent reaction with water at high temperatures

Diluting or dissolving in water always causes rapid heating

Reacts with light alloys in the presence of moisture to form hydrogen

Strong exothermic reaction with acids

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Light metals, acids, ammonium compounds.
- 10.6 Hazardous decomposition products:

Reaction in contact with metal forming hydrogen.

Reaction with ammonium compounds forming ammonia.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 5)

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

1310-73-2 sodium hydroxide

LC 50 / 96 h 33-196 mg/l (fish) EC 50 / 48 h 40.4 mg/l (shellfish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful effect on fish, plankton and other waterorganism by pH shift possible.
- Additional ecological information:
- General notes:

Do not allow to enter drainage system, surface or ground water Water hazard class 1 (Self-assessment): slightly hazardous for water.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. A used product should be recycled or used in other contexts, otherwise be handed over to an appropriate disposal site.

- Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- Uncleaned packagings:
- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

- Recommended cleaning agent: Water, if necessary with cleaning agent.

GB -

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 6)

· 14.1 UN-Number	
ADR, IMDG, IATA	UN3262
· 14.2 UN proper shipping name	
ADR	3262 CORROSIVE SOLID, BASIC, INORGANI
	N.O.S. (SODIUM HYDROXIDE)
IMDG, IATA	CORROSIVE SOLID, BASIC, INORGANIC, N.O.
	(SODIUM HYDROXIDE)
14.3 Transport hazard class(es)	
ADR	
Class	8 (C6) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	II
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	B
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	2
Tunnel restriction code	E
IMDG	41.
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Código E4
	Cantidad neta máxima por envase interior: 30 ml. Cantidad neta máxima por embalaje exterior: 500 ml.
LIN "Model Pegulation":	• • •
UN "Model Regulation":	UN3262, CORROSIVE SOLID, BASIC, INORGAN, N.O.S., 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 7)

- Hazard pictograms



- Signal word Danger

- Hazard-determining components of labelling:

sodium hydroxide

tetrasodium pyrophosphate

- Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- National regulations

- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

- Department issuing data specification sheet: see item 1: Informing department

- Abbreviations and acronyms:

LEV. Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)
vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.01.2020 Version number 111 Revision: 06.01.2020

Trade name Cleaner 05

(Contd. of page 8)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- * Data compared to the previous version altered.

CP