Tel. ++ 49 / 59 71 / 80 81 68 - 0

E-Mail: info@perkute.de

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 106 Revision: 26.02.2019 Printing date 19.03.2019

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name Entschäumer 50
- EINECS Number:

Polymer

- REACh-Registration number 02-2119548485-30
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Cleaning agent / Cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PERKUTE - Maschinenbau GmbH Düsterbergstr. 10

Fax ++ 49 / 59 71 / 80 81 68 - 1 D-48432 Rheine

- Informing department: Product safety department

- 1.4 Emergency telephone number:

National Poisons Information Service (NPIS) - Emergency call (healthcare professionals): (+44) 844 892 0111 - 0344 892 0111

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

H318 Causes serious eye damage.

Aguatic Chronic 3 H412 Harmful to aguatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger
- Hazard statements

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P273 Avoid release to the environment. Wear eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 2)

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

Trade name Entschäumer 50

(Contd. of page 1)

- vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- 3.1 Substances
- CAS No. Designation: fatty alcohol alcoxylate
- Identification no(s):
- EC number: Polymer
- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

> 30 % non-ionic surfactants.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General advice: In case of unconsciousness bring patient into stable side position for transport.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Wash skin with water using soap if available. If persistant irritation occurs, obtain medical attention.

- After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

carbon monoxide (CO)

- 5.3 Advice for firefighters
- Protective equipment:

See section 8.

Wear self-contained breathing apparatus.

- Additional information

Endangered containers in the surrounding area should be cooled with a water-hose.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Particular danger of slipping on leaked/spilled product.

(Contd. on page 3)

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

#### Trade name Entschäumer 50

(Contd. of page 2)

Wear protective equipment and keep unprotected persons away.

- 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

If large amounts are released, the authorities must be informed.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Contaminated material has to be disposed as waste (see item 13).

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage Store in cool, dry conditions in well sealed containers.
- Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water harzardous substances

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect against moisture.

Protect from heat and direct sunlight.

- Storage class 10 (VCI concept, 2007)
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters
- Components with critical values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

- Breathing equipment: Respiratory protection in case of release of vapours/aerosols
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

#### Trade name Entschäumer 50

(Contd. of page 3)

#### - Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed safety glasses.
- Body protection: Standard protective working clothes

## **SECTION 9: Physical and chemical properties**

-		
- 9.1 Information on basic physical and chemical properties		
- General Information	• •	
- Appearance:		
Form:	Fluid	
Colour:	Colourless	
- Smell:	Characteristic	
- Odour threshold:	Not determined.	
- pH-value (50 g/l) at 23 °C:	ca. 7	
- Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range	: 200 °C	
<u> </u>		
- Flash point:	> 100 °C	
- Inflammability (solid, gaseous)	Not applicable.	
- Ignition temperature:	> 200 °C	
- Decomposition temperature:	> 300 °C	
- Self-inflammability:	Not determined.	
- Explosive properties:	Product is not potentially explosive	
- Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
• •		
- Vapour pressure at 20 °C:	< 0.1 hPa	
- Density at 20 °C	~ 0.98 g/cm³	
- Relative density	Not determined.	
- Vapour density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
Water:	Insoluble	
- Partition coefficient: n-octanol/water:	Not determined.	
- Viscosity:		
dynamic at 25 °C:	ca. 40 mPas	
kinematic:	Not determined.	
1	(Contd. on page 5)	

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

Trade name Entschäumer 50

(Contd. of page 4)

- 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

Acids

alkalies

- 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

Oral LD50 > 2000 mg/kg (rat)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- 12.1 Toxicity

- Aquatic toxicity:

EC 50 / 48 h 1-10 mg/l (Daphnia magna)

EC 50 / 72 h 1-10 mg/l (Algae)

EC 50 / 96 h 1-10 mg/l (Leuciscus idus)

- 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

#### Trade name Entschäumer 50

(Contd. of page 5)

- Ecotoxical effects:
- Remark:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- Additional ecological information:
- General notes:

Danger to drinking water if even small quantities leak into soil.

Water hazard class 2 (Assessment by list): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### - 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

#### - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### - Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- Uncleaned packagings: Disposal must be made according to official regulations.
- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

SECTION 14: Transport information		
- 14.1 UN-Number - ADR, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards: - Marine pollutant:	Not applicable. No	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Annex II of  Marpol and the IBC Code  Not applicable.		

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

#### Trade name Entschäumer 50

(Contd. of page 6)

- Transport/Additional information:	Not dangerous according to the above specifications.

- UN "Model Regulation": Void

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger
- Hazard statements

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I Substance is not listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet: see item 1: Informing department
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV. Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 8)

Printing date 19.03.2019 Version number 106 Revision: 26.02.2019

#### Trade name Entschäumer 50

(Contd. of page 7)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008) EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- \* Data compared to the previous version altered.